ELSEVIER

Brain Research 760 (1997) 304–305

BRAIN RESEARCH

Author Index

Anwar, M., see Ruggiero, D.A. (760) 272
Ault, D.T. and Werling, L.L.
Differential modulation of NMDA-stimulated [^{3}H]dopamine release from rat striatum by neuropeptide Y and σ receptor ligands (760) 210

Bairam, A. and Khandjian, E.W.
Expression of dopamine D2 receptor mRNA isoforms in the carotid body of rat, cat and rabbit (760) 287
Bakay, R.A.E., see Kennedy, P.R. (760) 251
Ball, G.F., see Bernard, D.J. (760) 163
Bancila, M., see Sari, Y. (760) 281
Bauco, P., see Ranaldi, R. (760) 231
Bernard, D.J., Wilson, F.E. and Ball, G.F.
Testis-dependent and -independent effects of photoperiod on volumes of song control nuclei in American tree sparrows (*Spizella arborea*) (760) 163
Bollag, O., see Scotti, A.L. (760) 109
Borella, A., see Mazer, C. (760) 68
Brennan, H., see Pabbathi, V.K. (760) 22
Buckman, J.F. and Meshul, C.K.
Immunocytochemical analysis of glutamate and GABA in selectively bred mice (760) 193
Burdette, L.J., see Wang, H. (760) 266
Burke, W.J., Schmitt, C.A., Miller, C. and Li, S.W.
Norepinephrine transmitter metabolite induces apoptosis in differentiated rat pheochromocytoma cells (760) 290

Cahill, C.M., White, T.D. and Sawynok, J.
Substance P releases and augments the morphine-evoked release of adenosine from spinal cord (760) 294
Chen, H.-H., see Ma, T. (760) 187
Chikahisa, L., see Oyama, Y. (760) 277
Chou-Green, J.M., see Kirby, L.G. (760) 218
Corbett, D. and Crooks, P.
Ischemic preconditioning: a long term survival study using behavioural and histological endpoints (760) 129
Crooks, P., see Corbett, D. (760) 129

Davidson, C. and Stamford, J.A.
Chronic paroxetine desensitises 5-HT$_{1D}$ but not 5-HT$_{1B}$ autoreceptors in rat lateral geniculate nucleus (760) 238
Davis, K., see Kirby, L.G. (760) 218
Dewar, D., see Yam, P.S. (760) 150
Dulawa, S., see Feifel, D. (760) 80

Dun, N.J., Dun, S.L., Lin, H.H., Hwang, L.L., Saria, A. and Fischer-Colbrie, R.
Secretoneurin-like immunoreactivity in rat sympathetic, enteric and sensory ganglia (760) 8
Dun, S.L., see Dun, N.J. (760) 8

Endoh, H., see Zhan, R.-Z. (760) 179
Eugenín, E.A., Sáez, C.G., Garcés, G. and Sáez, J.C.
Regulation of glycogen content in rat pineal gland by norepinephrine (760) 34
Everts, H.G.J. and Koolhaas, J.M.
Lateral septal vasopressin in rats: role in social and object recognition? (760) 1

Feifel, D., Minor, K.L., Dulawa, S. and Swerdlow, N.R.
The effects of intra-accumbens neurotensin on sensorimotor gating (760) 80
Fischer-Colbrie, R., see Dun, N.J. (760) 8
Frackowiak, J., see Mazur-Kolecka, B. (760) 255
Frankel, W.N., see Wang, H. (760) 266
Fujii, T., see Suzuki, T. (760) 158
Fujimoto, K., see Suzuki, T. (760) 158
Fujiwara, N., see Zhan, R.-Z. (760) 179
Fukuda, S., see Zhan, R.-Z. (760) 179

Garcés, G., see Eugenín, E.A. (760) 34
Gernert, M., Richter, A. and Löscher, W.
The electrical activity is impaired in the red nucleus of *dt^{sz}* mutant hamsters with paroxysmal dystonia: an EEG power spectrum analysis of depth electrode recordings (760) 102
Gill, L., see Pabbathi, V.K. (760) 22
Golanov, E.V., see Ruggiero, D.A. (760) 272
Graham, D.I., see Yam, P.S. (760) 150

Hahne, S., see Vlaskovska, M. (760) 85
Hamon, M., see Sari, Y. (760) 281
Haske, T., see Mazur-Kolecka, B. (760) 255
Haynes, L.W., see Pabbathi, V.K. (760) 22
Heilig, M., see Möller, C. (760) 94
Hicks, C., see O' Neill, M.J. (760) 170
Ho, I.K., see Ma, T. (760) 187
Hoffman, G.E., see Whitcomb, D.C. (760) 137
Holmes, F.E., see Pabbathi, V.K. (760) 22
Hume, A.S., see Ma, T. (760) 187
Hwang, L.L., see Dun, N.J. (760) 8

Iwahori, Y., Saito, H., Torii, K. and Nishiyama, N.
Activin exerts a neurotrophic effect on cultured hippocampal neurons (760) 52

Kalt, G., see Scotti, A.L. (760) 109
Kasakov, L., see Vlaskovska, M. (760) 85
Kawashima, K., see Suzuki, T. (760) 158
Kennedy, P.R. and Bakay, R.A.E.
Activity of single action potentials in monkey motor cortex during long-term task learning (760) 251
Khandjian, E.W., see Bairam, A. (760) 287
Kirby, L.G., Chou-Green, J.M., Davis, K. and Lucki, I.
The effects of different stressors on extracellular 5-hydroxytryptamine and 5-hydroxyindoleacetic acid (760) 218
Ko, L.-w., Odawara, T. and Yen, S.-H.C.
Menadione-induced tau dephosphorylation in cultured human neuroblastoma cells (760) 118
Koolhaas, J.M., see Everts, H.G.J. (760) 1

Langlois, X., see Sari, Y. (760) 281
Lefèvre, K., see Sari, Y. (760) 281
LeVine, S.M.
Iron deposits in multiple sclerosis and Alzheimer's disease brains (760) 298
Le Vine III, H., see Mazur-Kolecka, B. (760) 255
Li, S.W., see Burke, W.J. (760) 290
Lim, D.K., see Ma, T. (760) 187
Lin, H.H., see Dun, N.J. (760) 8
Löscher, W., see Gernert, M. (760) 102
Lucki, I., see Kirby, L.G. (760) 218

Ma, T., Chen, H.-H., Lim, D.K., Hume, A.S. and Ho, I.K.
Effects of subacute lead exposure on [^{3}H]MK-801 binding in hippocampus and cerebral cortex in the adult rat (760) 187
Mancuso, A., Nimura, T. and Weinstein, P.R.
Prediction of delayed ischemic injury with diffusion-weighted MRI following temporary middle cerebral artery occlusion in rats (760) 42
Masukawa, L.M., see Wang, H. (760) 266
Mayhan, W.G.
Superoxide dismutase partially restores impaired dilatation of the basilar artery during diabetes mellitus (760) 204
Mazer, C., Muneyyirci, J., Taheny, K., Raio, N., Borella, A. and Whitaker-Azmitia, P.

Serotonin depletion during synaptogenesis leads to decreased synaptic density and learning deficits in the adult rat: a possible model of neurodevelopmental disorders with cognitive deficits (760) 68
Mazur-Kolecka, B., Frackowiak, J., Le Vine III, H., Haske, T. and Wisniewski, H.M.
Factors produced by activated macrophages reduce accumulation of Alzheimer's β-amyloid protein in vascular smooth muscle cells (760) 255
McCulloch, J., see Yam, P.S. (760) 150
Ment, L.R., see Stewart, W.B. (760) 17
Meshul, C.K., see Buckman, J.F. (760) 193
Miller, C., see Burke, W.J. (760) 290
Minor, K.L., see Feifel, D. (760) 80
Miquel, M.-C., see Sari, Y. (760) 281
Möller, C., Wiklund, L., Sommer, W., Thorsell, A. and Heilig, M.
Decreased experimental anxiety and voluntary ethanol consumption in rats following central but not basolateral amygdala lesions (760) 94
Muneyyirci, J., see Mazer, C. (760) 68
Muxworthy, A., see Pabbathi, V.K. (760) 22

Nagano, T., see Oyama, Y. (760) 277
Nakajima, K., see Suzuki, T. (760) 158
Nakajima, S. and Patterson, R.L.
The involvement of dopamine D2 receptors, but not D3 or D4 receptors, in the rewarding effect of brain stimulation in the rat (760) 74
Nimura, T., see Mancuso, A. (760) 42
Nishiyama, N., see Iwahori, Y. (760) 52
Nitsch, C., see Scotti, A.L. (760) 109
Nylander, I., see Vlaskovska, M. (760) 85

Odawara, T., see Ko, L.-w. (760) 118
Okazaki, E., see Oyama, Y. (760) 277
O' Neill, M.J., Hicks, C., Ward, M. and Panetta, J.A.
Neuroprotective effects of the antioxidant LY231617 and NO synthase inhibitors in global cerebral ischaemia (760) 170
Oppenheimer, S.M., see Zhang, Z. (760) 243
Oyama, Y., Sadakata, C., Chikahisa, L., Nagano, T. and Okazaki, E.
Flow-cytometric analysis on kainate-induced decrease in the cellular content of non-protein thiols in dissociated rat brain neurons (760) 277

Pabbathi, V.K., Brennan, H., Muxworthy, A., Gill, L., Holmes, F.E., Vignes, M. and Haynes, L.W.
Catecholaminergic regulation of proliferation and survival in rat forebrain paraventricular germinal cells (760) 22
Panetta, J.A., see O' Neill, M.J. (760) 170
Patterson, R.L., see Nakajima, S. (760) 74
Pederson, C.L., Wolske, M., Peoples, L.L. and West, M.O.
Firing rate dependent effect of cocaine on single neurons of the rat lateral striatum (760) 261
Peoples, L.L., see Pederson, C.L. (760) 261
Puccio, A.M., see Whitcomb, D.C. (760) 137

Quignon, M., see Sari, Y. (760) 281

Raio, N., see Mazer, C. (760) 68
Ranaldi, R., Bauco, P. and Wise, R.A.
Synergistic effects of cocaine and dizocilpine (MK-801) on brain stimulation reward (760) 231
Reis, D.J., see Ruggiero, D.A. (760) 272
Richter, A., see Gernert, M. (760) 102
Ruggiero, D.A., Anwar, M., Golanov, E.V. and Reis, D.J.
The pedunculopontine tegmental nucleus issues collaterals to the fastigial nucleus and rostral ventrolateral reticular nucleus in the rat (760) 272

Sadakata, C., see Oyama, Y. (760) 277
Sáez, C.G., see Eugenín, E.A. (760) 34
Sáez, J.C., see Eugenín, E.A. (760) 34
Saito, H., see Iwahori, Y. (760) 52
Sari, Y., Lefèvre, K., Bancila, M., Quignon, M., Miquel, M.-C., Langlois, X., Hamon, M. and Vergé, D.
Light and electron microscopic immunocytochemical visualization of 5-HT_{1B} receptors in the rat brain (760) 281
Saria, A., see Dun, N.J. (760) 8
Sawynok, J., see Cahill, C.M. (760) 294
Schmitt, C.A., see Burke, W.J. (760) 290
Schramm, M., see Vlaskovska, M. (760) 85
Schwartz, M., see Stewart, W.B. (760) 17
Scotti, A.L., Kalt, G., Bollag, O. and Nitsch, C.
Parvalbumin disappears from GABAergic CA1 neurons of the gerbil hippocampus with seizure onset while its presence persists in the perforant path (760) 109
Segal, M.B., see Thomas, S.A. (760) 59
Shimoji, K., see Zhan, R.-Z. (760) 179
Silberring, J., see Vlaskovska, M. (760) 85
Sommer, W., see Möller, C. (760) 94
Stamford, J.A., see Davidson, C. (760) 238
Stewart, W.B., Ment, L.R. and Schwartz, M.
Chronic postnatal hypoxia increases the numbers of cortical neurons (760) 17
Suzuki, T., Nakajima, K., Fujimoto, K., Fujii, T. and Kawashima, K.
Nitric oxide increases stimulation-evoked acetylcholine release from rat hippocampal slices by a cyclic GMP-independent mechanism (760) 158
Swerdlow, N.R., see Feifel, D. (760) 80

Taga, K., see Zhan, R.-Z. (760) 179
Taheny, K., see Mazer, C. (760) 68
Takasago, T., see Yam, P.S. (760) 150
Taylor, I.L., see Whitcomb, D.C. (760) 137
Terenius, L., see Vlaskovska, M. (760) 85
Thomas, S.A. and Segal, M.B.
Saturation kinetics, specificity and NBMPR sensitivity of thymidine entry into the central nervous system (760) 59
Thorsell, A., see Möller, C. (760) 94
Torii, K., see Iwahori, Y. (760) 52

Vergé, D., see Sari, Y. (760) 281
Vigna, S.R., see Whitcomb, D.C. (760) 137
Vignes, M., see Pabbathi, V.K. (760) 22
Vlaskovska, M., Nylander, I., Schramm, M., Hahne, S., Kasakov, L., Silberring, J. and Terenius, L.
Opiate modulation of dynorphin conversion in primary cultures of rat cerebral cortex (760) 85

Wang, H., Burdette, L.J., Frankel, W.N. and Masukawa, L.M.
Paroxysmal discharges in the EL mouse, a genetic model of epilepsy (760) 266
Ward, M., see O' Neill, M.J. (760) 170
Weinstein, P.R., see Mancuso, A. (760) 42
Werling, L.L., see Ault, D.T. (760) 210
West, M.O., see Pederson, C.L. (760) 261
Whitaker-Azmitia, P., see Mazer, C. (760) 68
Whitcomb, D.C., Puccio, A.M., Vigna, S.R., Taylor, I.L. and Hoffman, G.E.
Distribution of pancreatic polypeptide receptors in the rat brain (760) 137
White, T.D., see Cahill, C.M. (760) 294
Wiklund, L., see Möller, C. (760) 94
Wilson, F.E., see Bernard, D.J. (760) 163
Wise, R.A., see Ranaldi, R. (760) 231
Wisniewski, H.M., see Mazur-Kolecka, B. (760) 255
Wolske, M., see Pederson, C.L. (760) 261

Yam, P.S., Takasago, T., Dewar, D., Graham, D.I. and McCulloch, J.
Amyloid precursor protein accumulates in white matter at the margin of a focal ischaemic lesion (760) 150
Yamakura, T., see Zhan, R.-Z. (760) 179
Yen, S.-H.C., see Ko, L.-w. (760) 118

Zhan, R.-Z., Fujiwara, N., Yamakura, T., Taga, K., Fukuda, S., Endoh, H. and Shimoji, K.
NMDA induces a biphasic change in intracellular pH in rat hippocampal slices (760) 179
Zhang, Z. and Oppenheimer, S.M.
Characterization, distribution and lateralization of baroreceptor-related neurons in the rat insular cortex (760) 243